

Passenger Amenities Details As on : 31/03/2021

Division : Agra Cantt

<b>Station Name</b>	<b>Kosi-kalan</b>			<b>No. of passengers dealt with:</b>				Identified as Adarsh	N	
Station Code	KSV	FOB	1	(a) Per Day	16182		Developed As Adarsh			
Station Category	NSG4	Subway	0	(b) Max. at any time	1541		Identified for MFC	N		
Railway	NCR	Booking Windows	2	<b>Pass. Earnings/Year(Rs. in Lac.)</b>						
Division	Agra Cantt	Enquiry Office	1	2011-12	302.99	2016-17	589.58	Tourist Facilation Center	N	
State	UTTAR	Public Address Sys.	Y	2017-18	676.44	2018-19	662.75	Touch Screen Enquiry System	Y	
District	PRADESH MATHURA	Clock	Y	2019-20	632.78	2020-21	95.98	Electronic Train Indication	Y	
Section	AGC-PWL(EX.)	Wheel Chairs	N	<b>Length of longest stopping train(m)</b>				575	ATMs	0
Km.	1438.08	Cloak Room	N	MP Const.	Mathura			Food Plaza	N	
Route	A	Refreshment Room(sqm)		MP Name	Hema Malini			Budget Hotel	N	
Electrified	Y			MLA Const.	Chhata			Trains Halting	M: 9 P : 8	
				MLA Name	Shri Laxmi Narayan			Station IInd Entry	N	
Other Items	Nil									
Remarks for Station:	2 nos booking counter exempted by GM/NCR vide CCM letter date 19.01.2016									

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	120	Area(sqm)		35	35	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	18	Seats(Nos.)		12	9	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		2	2	Lav.(Nos.)	0		
(d) Urinals(Nos.)	0	Urinals(Nos.)		2	2	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		1	1	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	3000	Length(m)	500	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	2
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	360000			
Pay & Use Toilet				Remarks	Water supply is satisfactory			

Station Name : Kosi-kalan

## Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	375	10.7	84	CC	428	20	42	0		0	154	4	4	21	60	1	0	0	0	1	N	0
2 & 3	BG	Y	495	13	84	CC	572	21	58	0		0	203	2	2	7	12	1	0	0	0	1	N	0

\*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others

Station Name : Kosi-kalan

## Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	75	400 sqm	40	6	6	200	1	High level	4	YES
As per Rec. norms	644	863	61.64	2	2	185			-	-
Actual	120	1000	100	10	10	396	1	See platform details	4	YES
Shortage, if any	-	-	-	-	-	-	-		-	-

Desired Facility	Facility Available
Improvement in the facade of the station building Improvement in the circulating area so as to ensure proper entry and exit of A lighting tower at an appropriate place to be installed for proper illumination Improved modern, cost effective lighting arrangements at the platforms, Renovated water booths Renovated, modern, Pay & Use toilets Good Waiting and Retiring Rooms with modern furniture Good passenger guidance system including signages and coach indication Improvement to the passenger service Improvement of booking and enquiry offices to give them a facelift Lighting of booking offices, the queuing area in front of booking windows Engagement of reputed architects/consultants for beautification	